

Is Zembrace[®] SymTouch[®] right for me?

Discuss your migraines and related symptoms with your provider.



I need a medication that is fast and powerful.

Zembrace[®] SymTouch[®] is a powerful sumatriptan auto-injector that delivers fast-acting migraine pain relief.^{1,2}

Zembrace[®] SymTouch[®] is indicated for the acute treatment of migraine with or without aura in adults.¹ If you suffer from **migraines that strike in the morning, are rapid in onset, or cause you to be nauseated or vomit**, Zembrace[®] SymTouch[®] may be able to help.³

In as little as 10 minutes, you may get migraine relief (17% of patients for sumatriptan 3 mg vs. 5% for placebo).[†] One study showed that 60% of people experienced pain relief within 2 hours of use (vs. 21% for placebo).^{1,2}

[†] Time to onset and degree of pain relief varies by patient.



I experience migraine with or without aura.

Zembrace[®] SymTouch[®] is a prescription medicine used to treat acute migraine headaches with or without aura in adults.

Zembrace[®] SymTouch[®] should not be used to treat other types of headaches such as hemiplegic (that make you unable to move on one side of your body) or basilar (rare form of migraine with aura) migraines. These are not all of the reasons you should not use Zembrace[®] SymTouch[®]. See the Important Safety Information on page 4, and speak with your healthcare provider for more information about whether Zembrace[®] SymTouch[®] is right for you.

Zembrace[®] SymTouch[®] is not used to prevent or decrease the number of migraines you have.



I want a medication that's safe.

Zembrace[®] SymTouch[®] contains the migraine medication sumatriptan which has a nearly 30 year track record of safety and efficacy. Zembrace[®] SymTouch[®] went through the FDA's rigorous approval process. Do not use Zembrace[®] SymTouch[®] if you have heart problems or a history of heart problems; had a stroke, transient ischemic attacks (TIAs), or problems with your blood circulation. These are not all of the reasons you should not use Zembrace[®] SymTouch[®]. See the Important Safety Information on page 4, and speak with your healthcare provider for more information about whether Zembrace[®] SymTouch[®] is right for you.



I need an affordable option.

Eligible, commercially insured patients may pay as little as \$0* per prescription, per month with free home delivery through **BlinkRx**. Share the e-prescribing directions on page 3 with your provider.

*Restrictions and quantity limits apply. Visit Zembrace.com to view complete program terms and conditions. Medicare, Medicaid, and other federal and state healthcare program patients are not eligible.



Directions for your provider to locate BlinkRx in the EMR

When you ask your provider to e-prescribe Zembrace[®] SymTouch[®], they'll need to do so through BlinkRx in order for you to pay as little as \$0.*

Three steps to locate BlinkRx in the EMR:

- 1.** Start by searching for "Blink Pharmacy" in the EMR system's pharmacy search tool.
 - Select **BlinkRx U.S. Boise, Idaho**
 - **Address:**
4694 West Overland Road,
Suite 274,
Boise, ID 83705
 - **Phone number:** 844-976-3109
 - **NCPDP number:** 1310488

- 2.** Confirm both "mail order" and "retail" pharmacies are selected when conducting a search.

- 3.** Ensure any other limiting search criteria are unselected.

*Restrictions and quantity limits apply. Visit [Zembrace.com](https://www.zembrace.com) to view complete program terms and conditions. Medicare, Medicaid, and other federal and state healthcare program patients are not eligible.

References

1. Zembrace SymTouch [package insert]. Maple Grove, MN: Upsher-Smith Laboratories, LLC: February 2021.
2. Mathew NT, et al. Dose ranging efficacy and safety of subcutaneous sumatriptan in the acute treatment of migraine. US Sumatriptan Research Group. *Arch Neurol.* 1992;49(12):1271-1276.
3. Rothrock JF, Friedman DI. Information for health care professionals: triptan therapy for acute migraine. American Headache Society. <https://americanheadachesociety.org>. Accessed 2021.



Zembrace and SymTouch are registered trademarks of Upsher-Smith Laboratories, LLC. All other marks are property of their respective owners.

© 2021 Upsher-Smith Laboratories, LLC, Maple Grove, MN 55369
PM-002240.01

Please see Important Safety Information on page 4 and full Prescribing Information and Patient Information at [Zembrace.com](https://www.zembrace.com)

IMPORTANT SAFETY INFORMATION

Zembrace SymTouch (Zembrace) can cause serious side effects, including heart attack and other heart problems, which may lead to death. Stop use and get emergency help if you have any signs of a heart attack:

- discomfort in the center of your chest that lasts for more than a few minutes or goes away and comes back
- severe tightness, pain, pressure, or heaviness in your chest, throat, neck, or jaw
- pain or discomfort in your arms, back, neck, jaw or stomach
- shortness of breath with or without chest discomfort
- breaking out in a cold sweat
- nausea or vomiting
- feeling lightheaded

Zembrace is not for people with risk factors for heart disease (high blood pressure or cholesterol, smoking, overweight, diabetes, family history of heart disease) unless a heart exam shows no problem.

Do not use Zembrace if you have:

- history of heart problems
- narrowing of blood vessels to your legs, arms, stomach, or kidney (peripheral vascular disease)
- uncontrolled high blood pressure
- hemiplegic or basilar migraines. If you are not sure if you have these, ask your provider.
- had a stroke, transient ischemic attacks (TIAs), or problems with blood circulation
- severe liver problems
- taken any of the following medicines in the last 24 hours: almotriptan, eletriptan, frovatriptan, naratriptan, rizatriptan, ergotamines, dihydroergotamine.
- are taking certain antidepressants, known as monoamine oxidase (MAO)-A inhibitors or it has been 2 weeks or less since you stopped taking a MAO-A inhibitor. Ask your provider for a list of these medicines if you are not sure.
- an allergy to sumatriptan or any of the components of Zembrace

Tell your provider about all of your medical conditions and medicines you take, including vitamins and supplements.

Zembrace can cause dizziness, weakness, or drowsiness. If so, do not drive a car, use machinery, or do anything where you need to be alert.

Zembrace may cause serious side effects including:

- changes in color or sensation in your fingers and toes

- sudden or severe stomach pain, stomach pain after meals, weight loss, nausea or vomiting, constipation or diarrhea, bloody diarrhea, fever
- cramping and pain in your legs or hips; feeling of heaviness or tightness in your leg muscles; burning or aching pain in your feet or toes while resting; numbness, tingling, or weakness in your legs; cold feeling or color changes in one or both legs or feet
- increased blood pressure including a sudden severe increase even if you have no history of high blood pressure
- medication overuse headaches from using migraine medicine for 10 or more days each month. If your headaches get worse, call your provider.
- serotonin syndrome, a rare but serious problem that can happen in people using Zembrace, especially when used with anti-depressant medicines called SSRIs or SNRIs. Call your provider right away if you have: mental changes such as seeing things that are not there (hallucinations), agitation, or coma; fast heartbeat; changes in blood pressure; high body temperature; tight muscles; or trouble walking.
- hives (itchy bumps); swelling of your tongue, mouth, or throat
- seizures even in people who have never had seizures before

The most common side effects of Zembrace include: pain and redness at injection site; tingling or numbness in your fingers or toes; dizziness; warm, hot, burning feeling to your face (flushing); discomfort or stiffness in your neck; feeling weak, drowsy, or tired.

Tell your provider if you have any side effect that bothers you or does not go away. These are not all the possible side effects of Zembrace. For more information, ask your provider.

This is the most important information to know about Zembrace but is not comprehensive. For more information, talk to your provider and read the **Patient Information** and **Instructions for Use**. You can also visit www.upsher-smith.com or call 1-888-650-3789.

You are encouraged to report adverse effects of prescription drugs to the FDA. Visit www.fda.gov/medwatch, or call 1-800-FDA-1088.

INDICATION AND USAGE

Zembrace is a prescription medicine used to treat acute migraine headaches with or without aura in adults who have been diagnosed with migraine.

Zembrace is not used to prevent migraines. It is not known if it is safe and effective in children under 18 years of age.